

BW-413

SECURITY

DESIGN


SCENE

DESCRIPTION

- The high gate BW-413 offers high-quality access control.
- Made of brushed stainless steel.
- It is suitable for installation in both indoor and outdoor environments.
- It has a relay signal that can be integrated with external access control systems (e.g., RFID reader, biometric reader, etc.).
- Compatibility with external devices such as: display, reader, facial recognition, entry/exit button, card collector, coin acceptor, barcode reader.
- Automatic opening of the passage in case of power loss.
- Only one person will pass in one cycle.


MAIN FEATURES

- Long lifespan, high reliability, fast operation.
Quiet operation.
- In emergency cases, the gate can be opened and closed manually.
- The possibility of one-way as well as two-way operation.
- The gate will automatically block if the pedestrian does not pass through the gate within 5 seconds (can be adjusted).
- Automatic opening of the passage in case of power loss.
- LED indicator (red × means no access; green "→" means access has been granted).
- Wiring can be routed in the enclosure.
- Easy installation




We offer not only turnstiles

We offer complete control solutions



SPECIFICATION

Model	BW-413
Type	High gate
Communication	Potential-free contact, relay signal, RS485
Housing execution	Brushed stainless steel
Dimensions	3590*1250*2180mm
Net weight	400 kg
Width of the passage	3 * 650mm
Direction of work	Unidirectional / Bidirectional
Power supply	AC220V/110V, 50/60Hz
Voltage	24V DC
Power consumption	40W
Operating temperature	-15 °C - 60 °C
Operating humidity	0 ~ 95%
Work environment	Internal / External
Throughput	35-40 people per minute
Emergency mode operation	Automatic opening of the passage in case of power loss
Integration capability	Any access control system





The triple high gate BW-413 is made of brushed stainless steel, making it ideal for installation in both indoor and outdoor environments. It is well-suited for cooperation with other devices such as access control barriers or the pedestrian gate BP-6004, etc.

